

# Balanced Caneberry

16+16+16 +

## GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N).....	16.00 %
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ).....	16.00 %
Soluble Potash (K <sub>2</sub> O).....	16.00 %
Sulphur (S).....	2.50 %
Magnesium (Mg) .....	1.00 %
Zinc (Zn).....	0.20 %
Boron (B).....	0.10 %



## FEATURES

- With magnesium & boron
- Balanced
- With micronutrients

## BENEFITS:

An all purpose blend with added magnesium and boron designed for use on caneberries. It is a balanced blend suitable for situations requiring additional micronutrients.

## DIRECTIONS:

Rates may vary depending on soil types, crop history and variety. The following rates are correct for most plantings on organic soils in the Fraser Valley.

## APPLICATION RATES:

**Blackberries, all varieties:** 2 applications of 300 lbs/acre applied 4 weeks apart.

**Raspberries: New plantings:** 300 lbs/acre. **Meeker, Willamette:** 2 applications of 200 lbs/acre. **Other varieties:** 2 applications of 150 lbs/acre.

**Currants, Gooseberries, all varieties:** All varieties 1 - 2 applications of 200 lbs/acre.

It is strongly recommended that the producer conduct tissue and soil tests. Fertilizer applications should be adjusted accordingly to avoid excessive build-up or deficiencies of one or more nutrients.

## CAUTION:

Avoid contact with eyes and prolonged contact with skin. If eyes or skin are exposed, flush with water. Do not use on container stock or in greenhouse production. This is not a label; these guidelines are based on the experiences of producers in the Fraser Valley. Always refer to soil test results before use.