

Elite Low-P

15-5-15 +

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N).....	15.00 %
<i>3.5% total N from stabilized nitrogen</i>	
Available Phosphoric Acid (P ₂ O ₅).....	5.00 %
Soluble Potash (K ₂ O).....	15.00 %
Magnesium (Mg)	3.00 %
Sulphur (S).....	14.00 %
Boron (B).....	0.02 %



FEATURES

- 25% of total N from stabilized Nitrogen

BENEFITS:

Designed for use in blueberries or raspberries where soils test high in phosphorus.

DIRECTIONS:

Rates may vary between soil types, manure application and crop history. These rates are correct for most applications in the Fraser Valley.

APPLICATION RATES:

Raspberries: Meeker, Willamette: 1 application of 400 lbs/acre or 2 applications of 200 lbs/acre

Other raspberry varieties: 1 application of 300 lbs/acre or 2 applications of 150 lbs/acre

Currants, Gooseberries: Vigorous plantings: 1 application of 200 lbs/acre or 2 applications of 150 lbs/acre. Weaker Plantings: 1 application of 400 lbs/acre or 2 applications of 200 lbs/acre.

Blackberries: 1 application of 600 lbs/acre or 2 applications of 300 lbs/acre.

Blueberries: 2 oz per plant per year of age to a maximum

of 16 oz per plant.

This application should be split; half in April and the remaining half in mid-May.

On a standard 4 x 10 ft spacing, this amounts to 75 lbs/acre per year(s) of planting applied twice. Example: 3 year plants, 3 x 75 = 225 lbs/acre applied twice.

It is strongly recommended that the producer conduct tissue and soil tests. Fertilizer applications should be adjusted accordingly to avoid excessive build-up or deficiencies of one or more nutrients.

CAUTION:

Avoid contact with eyes and prolonged contact with skin. If eyes or skin are exposed, flush with water. Do not use on container stock or in greenhouse production. This is not a label; these guidelines are based on the experiences of producers in the Fraser Valley. Always refer to soil test results before use.